microprocessors and microsystems

Index to Volume 9, Numbers 1–10, pages 1–528 (1985)

Subject Index

(P) = *product review;*
(I) = *interface*

Algorithms
— for microcomputer monitoring of power networks 218
Applications 46, 89, 155, 266, 322, 418
Applications software
— audit trails of user satisfaction 241
Assemblers
— audit trails of user satisfaction 241
— crossassembler for 8-bit micros 234
Assembly language
— C as an alternative to 124
Backplane bus standards
— market forecast (I) 368
BASIC-52
— for programming the 8052AH-basic microcontroller 481
BBC Micro
— used in crossword solution 500
Benchmarks
— for Unix systems 343
Book reviews 25, 86, 138, 200, 310, 359, 412, 514
C programming language
— as alternative to assembly language 124
— first impressions of a new user 333
— for programming an 8088 development system 452
— weaknesses of 340
Cambridge Ring
— as example for LAN performance evaluation 184
Combinational logic
— performed in RAM or PROM 446
Communicating processes
— notations for hardware–software rendezvous 57
Compact disc ROM (P) 518
Compilers
— audit trails of user satisfaction 241
Computer graphics
— GKS international standard 494
Concurrency
— multitransputer system for solving NP-complete problems 162
Conference reports
— Euromicro 85 507
Control circuits
— for software-controlled memory duplication 21
Coordinate transformations
— for a revolute-coordinate robot 290
Crossassemblers
— general-purpose, for 8-bit microprocessors 234
Crosswords
— solution using the BBC Micro 500
Data acquisition
— 6800-based realtime unit for a 68000 system 171
— in a micro-based dietary intake recorder 486
Data communication
— over universal RS232C serial link 231
Data manipulation
— in recoverable file system 179
Debugging
— 68000 system 3
Development systems
— 6810-based emulation adaptor for 24
— BBC-based, for the 8048 (P) 146
— for software–hardware integration 8
— for the 8052AH-basic microcontroller 405
— for the 8088, programmed in C 452
— for the IMS T414 transputer (P) 460
— for the TMS320 digital signal processor 50
— HP64000 8, 24, 386, 432
— interface for a 68000 emulator 386
— low-cost microprocessor emulator 400
— modification to monitor user–system interaction 17
— Universal Development Laboratory (P) 518
Diet
— micro-based food intake recorder 486
Diffraction patterns
— micro-based measurement of 231
Digital Equipment (DEC)
— adopts Unix system V (I) 373
— integrates computer manufacture (I) 421
Digital signal processing
— data acquisition in a 68000 system 171
— software development for the TMS320 50
— UDPI01 92
Distributed processing
— performance analysis of a local area network 184
Drug evaluation
— microsystem for monitoring patient performance 118
Dynamic RAMs
— 1 Mbit (P) 40
Education
— microcomputer-driven speech synthesis 394
— micro-based simulation package 76
— Smart Arms robot, programming for 290
Emulation
— adaptable interface for the 68000 386
— of 6802/6808 using a 6800 emulation pod 24
— of traffic stations by Epson HX-20 133
— software-intensive approach to emulator design 400
EPROM
— 512 kbit CMOS (P) 463
Etching systems
— in-line reactive ion (P) 463
— in-line sputtering (P) 463
Etching techniques
— aluminium 250
— plasma 250
— reactive ion 250
Ethernet
— communications controller for connecting to Multibus systems (P) 91
— controller chip (P) 92
— controller for the S100 bus (P) 39
— moving TDM slots for speech transmission on 427
European Silicon Structures (I) 468
Expert systems
— interactive, for assessing manufacturers' software 241
File system
— recoverable, after system failure 179
Flag bits
— undocumented features of X5 in the 8085 296
— unspecified, on the Z80 15
Floating point coprocessors
— 68881 (P) 209
Fourier transformation
— of a two-dimensional signal 226
Functional expansion
— recursive, for power network monitoring 218

Gallium arsenide
— silicon packaging for (P) 93
Gate arrays
— Megacell (P) 464
Graphics
— GKS international standard 494
Heart disease diagnosis
— portable microsystem for 440
Honeywell
— adopts Unix (I) 525
IBM PC
— used in 8088 development system 452
IMS T414 transputer (P) 460
Instruction sets
— display on standard-format microprocessor programming cards 274
Integration
— of system hardware and software 8
Intel 8052AH-basic microcontroller
— microsystem design with 405
— software development for 481
Intel 8085
— undocumented features of the X5 flag bit 296
Intel 8088
— development system for 452
Intel 80386 (P) 461
Interface adaptors
— user-friendly 'black box' for insertion between micro and VDU 432
Interrupt service routine 57
Interrupts
— comparison of different microcomputers 107
— secure program design with 57
Ion implantation
— automatic (I) 471
Literature reviews 36, 84, 142, 258, 458, 511
Local area networks
— Cambridge Ring 184
— performance analysis of 184
Logic arrays
— replacement by RAM or PROM 446
Machine tools
— retrofitting microprocessor control 378
Macroassembler
— for the 68000 (P) 39
Magnetic-amplifier power supplies
— microcomputer controller for 71
Man–machine interface
— automatic timing as an evaluation aid 17
— GKS programming interface 494
— user-friendly 'black box' interface 432
MC6800
— for data acquisition in a 68000-based DSP system 171
MC6809E
— switched link for multiprocessor systems 475
MC68000
— for data analysis in a DSP system 171
— interface for emulation system 386
— system trace facility 3
Medicine
— microprocessor evaluation of psychoactive drugs 118
— micro-based dietary intake recorder 486
— portable microsystem for heart condition diagnosis 440
Memory duplication
— controlled by software 21
Memory sharing
— in multiprocessor 6809E systems 475
Microcomputers
— BBC Micro 500
— LSI-11 series 253
— LSI-11/23 218
— SDK 85 440
Microcomputers (single chip)
— HD6305V (P) 260
— HMCS400 (P) 41
— Z8671 486
Microcontrollers
— 8052AH-basic 405, 481
Microprocessor instruction sets
— comparison of 274
Microprocessors
— 6502 107, 274
— 6800 107, 171
— 6800/6802 24
— 6802 64
— 6809 274, 427, 432
— 6809E 475
— 68000 3, 107, 171, 386
— 68HC000 (P) 462
— 8080A 300
— 8085 107, 226, 296, 440
— 8085A 274
— 8086 89, 107
— 8088 452
— 80386 (P) 461
— IMS T414 transputer (P) 460
— LSI-11 107
— TMS320 digital signal processor 50
— Transputers 162
— UDP101 digital signal processor (P) 92
— WS59016-C (P) 208
— Z80 15, 64, 107, 118
— Z80B 191
— Z8000 107
— Z8001 274
Minicomputers
— PDP-11 series 253
— VAX-11/750 234
Modelling
— educational/industrial package for microcomputers 76
— of a local area network for performance analysis 184
Multiplexing
— moving TDM slots for speech transmission on Ethernet 427
Multiprocess control
— scheduler for 114
Multiprocessor systems
— 6809E-based, switched link for 475
— for control of a PABX 300
— transputer implementation of NP-complete problem solution 162
Networks
— Ethernet 39, 91
— Intel's Opennet strategy (P) 205
— local area, performance analysis of 184
— switched, for traffic monitoring 133
— the Newcastle Connection 354
OCCAM
— description of multiprocessor solution to NP-complete problems 162
— for structured programming using interrupts 57
On-line documentation
— increasing effectiveness for Unix systems 346
Operating systems
— audit trails of user satisfaction 241
— iRMX 286 (P) 367
— RT-11 253
— TSX-Plus 253
— Unix 124, 234, 330, 333, 337, 340, 343, 346, 350, 354
— Xenix system V (I) 525
PABX
— multiprocessor control of 300
PARACODE interpretive language
— for process control 191
Porting
— of Unix to new hardware 350
Power networks
— software for microcomputer monitoring of 218
Power supplies
— conversion to microprocessor control 71
Process control
— of a photodiode array 226
— of industrial gas burners 64
— retrofitting microprocessor control to machine tools 378
— scheduler for realtime multitasking 114
— using the Accos 2S Satellite controller 191
Programming cards
— standard format for 274
PROM
— performing combinational logic in 446
Proprietary microprocessors
— IBM and AT&T to ease out standard merchant chips? (I) 101

RAM
— 1 Mbit dynamic (P) 40
— performing combinational logic in 446
— 'pseudostatic' (P) 207
Recovery
— of files after system failure 179
Remote monitoring
— of traffic using Epson HX-20 133
Retrofitting
— of microprocessor control to machine tools 378
Robots
— revolute-coordinate, programming for 290
ROM
— on compact disc (P) 518
RS232C serial link
— universal cable for 231

Scheduling
— priority-based round-robin policy for realtime multiprocess control 114
Scheduling algorithm
— of the TSX-Plus operating system 253
SCSI
— interface chip for (P) 462
Semiconductor etching
— new techniques 250
Serial links
— RS232C, universal cable for 231
Shared memory
— by switching in multiprocessor 6809E systems 475
Signal processing
— in a micro-based electrocardiogram 440
Signed operands
— comparison in the 8085 using undocumented flag bit features 296
Silicon wafers
— for ULSI (I) 420
Simulation
— educational/industrial package for microcomputers 76
— in human performance monitoring for drug evaluation 118
— of the 80386 on Daisy workstations (P) 519
Single-board computers
— 32032, 68020 or 80386 based, running Unix (P) 521
— ARC40 in a dietary intake recorder 486
Software development
— for the 8052AH-basic microcontroller 481

Speech synthesis
— driven by microcomputers 394
Speech synthesizers
— Votrax SCOI 394
Speech transmission
— on Ethernet, moving TDM slots for 427
Structured programming
— C in perspective 340
System development
— evaluating man–machine interface in 17
— hardware–software integration in 8
System failure
— recoverable file system to counteract 179
Systems design
— for a portable electrocardiogram 440
— for controlling a wind turbine generator 89
— of a gas burner controller 64
— of a low-cost software-intensive microprocessor emulator 400
— of the Accos 2S Satellite controller 191
— to deal with interrupts 107
— with the 8052AH-basic microcontroller 405

TMS320 digital signal processor
— software development for 50
Trace facilities
— for system debugging 3
Tracking
— in real time for human performance monitoring 118
Training
— in system integration 8
— micro-based simulation package for education and industry 76
Transputer
— IMS T414 (P) 460
— in multiprocessor solution to NP-complete problems 162

Unix
— adopted by Honeywell (I) 525
— benchmarking 343
— comparison of C and assembly language 124
— first impressions of a new user 333
— making on-line documentation more effective
— networking systems with the Newcastle Connection 354
— on a VAX-11/750-based crossassembler for 8-bit micros 234
— porting to new hardware 350
— system V interface definition endorsed by DEC (I) 373
— system V interface definition to assure portability? 337
— user-friendly interface adaptor for 432
— Xenix system V (I) 525

Wafer contamination
— surface scanner for detection of (P) 144
Wafer-scale integration
— Alvey approach (I) 152
Whitesmiths C compiler
— design of 124
— writing ROMable code for 124

Xenix
— system V launched (I) 525

Z80
— unspecified flag bits D3 and D5 15

Title Index

(A) = *applications;* (DN) = *design note;* (PP) = *product profile;* (RR) = *research report;* (T) = *teach-in;* (U) = *update*

6800/6802 microprocessor emulation adaptor (DN) 24
8088 development system programmed in C (DN) 452
A user-friendly interface adaptor 432
Automatic timing of user–system interaction on microprocessors 17
Benchmarking Unix systems — some experiences 343
C — a perspective 340
C — an alternative to assembly programming (T) 124
Coordinate transformations and programming for small revolute-coordinate robots 290
Definition of unspecified flag bits of the Z80 microprocessor 15
Design and implementation of low-cost emulators for microprocessors 400
Design approach to low-cost process control (DN) 191
Design of a multimicroprocessor-controlled PABX 300
Dietary intake recorder based upon a single-board microcomputer 486
Driving Votrax SCOI with microcomputers 394
Examination of microcomputer interrupt systems 107
Gas burner control using microprocessors 64
General-purpose crossassembler for 8-bit microprocessors 234
Implementation of moving TDM slots for voice transmission on Ethernet 427
Interrupts and the hardware–software rendezvous — microcomputer software engineering 57
Making Unix online documentation more effective 346
Memory-based logic sequence generation 446
Microcomputer compilation and solution of crosswords (A) 500
Microcomputer-controlled magnetic-amplifier power supply (DN) 71
Microprocessor I/O emulation facilities 386
Microprocessor-based portable system for heart condition diagnosis 440
Microprocessor-controlled photodiode array measurement of diffraction patterns 226
Microsystem design with the 8052AH-basic microcontroller 405
Multiprocessor solution in OCCAM to an NP-complete problem 162
New etching techniques for semiconductors (RR) 250
Operating systems, compilers, assemblers and application programs — audit trails of user satisfaction (U) 241
Performance analysis of a distributed processing system — a case study (DN) 184
Porting Unix to new hardware (DN) 350
Powerful trace facility for the MC68000 microprocessor system 3
Realtime high resolution data acquisition unit for an MC68000 system 171
Realtime tracking and performance analysers for use in drug evaluation 118
Recoverable file system for microprocessor systems 179
Remote monitoring system helps keep traffic under control (DN) 133
Retrofitting machine tools with computer control 378
Scheduler for realtime process control 114
Simulation package for small-scale systems (T) 76
Software development for the 8052AH-basic microcontroller 481
Software technique for a microcomputer-based digital instrumentation scheme using functional expansion 218
Software-controlled memory duplication 21
Software/hardware integration on microprocessors 8
Standard microprocessor programming cards 274
Standards in computer graphics (U) 494
Subjective impressions of a non-naïve Unix and C beginner 337
Switched memory multiprocessor MC6809E systems 475
System V interface definition — a last chance for Unix? 337
The Newcastle Connection (PP) 354
TMS320 digital signal processor development system 50
TSX-Plus: a multiuser operating system for the LSI-11 and PDP-11 (PP) 253
Undocumented features of the X5 flag bit in the 8085 microprocessor 296
Universal RS232C cable (DN) 231

Author Index

Abdel-Fattah, A Design of a multimicroprocessor-controlled PABX 300
Al-Ambuky, A H Microprocessor-based portable system for heart condition diagnosis 440
Al-Riahi, H Software-controlled memory duplication 21
Al-Riahi, H A J Microcomputer-controlled magnetic-amplifier power supply 71
Babcock, P D see **Shacham, M** 76
Ball, E 8088 development system programmed in C 452
Ball, E see **Konnanov, P** 118
Bateson, B System V interface definition — a last chance for Unix 337
Biswas, J C see **Chakraborty, P K** 296
Biswas, J C see **Chakraborty, P K** 15
Bose, S Design and implementation of low-cost emulators for microprocessors 400
Bowen, J P A user-friendly interface adaptor 432
Bowen, J P Microprocessor I/O emulation facilities 386
Bowen, J P Software/hardware integration 8
Bowen, J P Standard microprocessor programming cards 274

Bowen, J P 6800/6802 microprocessor emulation adaptor 24
Brown, P J Making Unix online documentation more effective 346
Chakraborty, P K Definition of unspecified flag bits of the Z80 microprocessor 15
Chakraborty, P K Undocumented features of the X5 flag bit in the 8085 microprocessor 296
Chance, J TMS320 digital signal processor development system 50
Chapman, R I Dietary intake recorder based upon a single-board microcomputer 486
Chaudhuri, P Scheduler for realtime process control 114
Clark, B Benchmarking Unix systems — some experiences 343
Colin, A Retrofitting machine tools with computer control 378
Cutlip, M B see **Shacham, M** 76
Dash, P K Software technique for a microcomputer-based digital instrumentation scheme using functional expansion 218
Davies, G see **Bateson, B** 337
Davis, R H Microcomputer compilation and solution of crosswords 500
Derzi, M I see **Al-Ambuky, A H** 440
Dimond, K R see **Said, S M** 3
Dimond, K R see **Said, S M** 171
Doyle, J C — an alternative to assembly programming 124
Dunlop, J see **Girma, D** 427
Edwards, J New etching techniques for semiconductors 250
El-Taweel, H A H see **Abdel-Fattah, A** 300
Ettinger, G M Memory-based logic sequence generation 446
Farrell, K Subjective impressions of a non-naïve Unix and C beginner 333
Fay, D Interrupts and the hardware–software rendezvous — microcomputer software engineering 57
Ferrington, L The Newcastle Connection 354
Gallop, J Standards in computer graphics 494
Girma, D Implementation of moving TDM slots for voice transmission on Ethernet 427
Gunasingham, H see **Srinivasan, B** 179
Hamudi, O M see **Al-Ambuky, A H** 440
Hawkes, A H Design approach to low-cost process control 191
Heal, B Examination of microcomputer interrupt systems 107
Heal, B Multiprocessor solution in OCCAM to an NP-compatible problem 162
Holley, M L see **Chapman, R I** 486
Horne, N Porting Unix to new hardware 350
Hudson, N A J Remote monitoring system helps keep traffic under control 133
Jin-Cheng, D see **Colin, A** 378
Juvshol, E see **Davis, R H** 500
Kalpagam, K see **Reddy, Y V** 226
Konnanov, P Realtime tracking and performance analysers for use in drug evaluation 118
Linge, N see **Ball, E** 452
Miller, J see **Colin, A** 378
Morris, A Coordinate transformations and programming for small revolute-coordinate robots 290
Naidu, P S see **Reddy, Y V** 226
Newman, I A General-purpose crossassembler for 8-bit microprocessors 234
Omotayo, O R Automatic timing of user–system interaction as an evaluation aid for microsystems 17
Omotayo, O R Driving Votrax SCOI with microprocessors 394
Panda, D K see **Dash, P K** 218
Pegler, S Gas burner control using microprocessors 64
Prescott, E H A see **Chapman, R I** 486
Reddy, Y V Microprocessor-controlled photodiode array for measurement of diffraction patterns 226
Rushinek, A Operating systems, compilers, assemblers and application programs: audit trails of user satisfaction 241
Rushinek, S F see **Rushinek, A** 241
Said, S M Powerful trace facility for the MC68000 microprocessor system 3
Said, S M Realtime high resolution data acquisition unit for an MC68000 system 171
Saini, J S Performance analysis of a distributed processing system — a case study 184
Shacham, M Simulation package for small-scale systems 76
Srinivasan, B Recoverable file system for microprocessor systems 179
Stewart, J see **Horne, N** 350
Stockley, L see **Chapman, R I** 486
Thomas, E C see **Warrington, E M** 475
Tillier, M L see **Ettinger, G M** 446
Vaidya, D M Microsystem design with the 8052AH-basic microcontroller 405
Vaidya, D M Software development for the 8052AH-basic microcontroller 481
Vaidya, D M Universal RS232C cable 231
Walls, C C — a perspective 340
Warrington, E M Switched memory for multiprocessor MC6809E systems 475
Winder, R L see **Newman, I A** 234
Yardley, J TSX-Plus: a multiuser operating system for the LSI-11 and PDP-11 253
Zaluska, E J see **Saini, J S** 184